



TOOL HOOK FX 24/16 - 12 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool hook, 360° turnable, for aluminum profiles To organize work stations
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request



Color	ESD	Weight [g]	Part #
Black		84.5	6TH240NA5020S01
	ESD electrostatical discharging	85.8	6TH240NA5020ESDS01
Gray ≈ RAL 7042		85.8	6TH24074NA5020S01



TOOL HOOK FX 66/27 - 13, RUBBERIZED FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL pre-assembled, profile 40 and up

DESCRIPTION Ready to use tool hook, 360° turnable, for aluminum profiles;
Rubber coated wire to prevent tools from slipping;
To organize workstations


MATERIAL Holder standard version: Plastic PA, glass ball reinforced
Wire: Stainless steel SS304
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced

SURFACE Wire: PVC coated
Screw: Zinc plated
Nut: Zinc plated


COLOR Wire: Black coated
Holder: See table
Centering piece: Black

PACK QUANTITY 1 piece


SPECIALS Other colors on request




Color	Weight [g]	Part #
Black	124.5	6TH240NA903091S01
Gray ≈ RAL 7042	95.8	6TH24074NA903091S01



TOOL HOOK FX 66/27 - 13 FOR PROFILES 40 / 45, SLOT 8 / 10


MODEL pre-assembled, profile 40 and up**DESCRIPTION** Ready to use tool hook, 360° turnable, for aluminum profiles
To organize work stations**MATERIAL** Holder standard version: Plastic PA, glass ball reinforced
Wire: Stainless steel SS304
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Screw: Zinc plated
Nut: Zinc plated**COLOR** Holder: See table
Centering piece: Black**PACK QUANTITY** 1 piece

	Color	Weight [g]	Part #
	Black	73.5	6TH240NA9030S01
	Gray ≈ RAL 7042	73.5	6TH24074NA9030S01




TOOL HOOK FX 7/38 - 24 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool hook, 360° turnable, for aluminum profiles To organize work stations
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request




Color	ESD	Weight [g]	Part #
Black		86.5	6TH240NA3040S01
	ESD electrostatical discharging	87.8	6TH240NA3040ESDS01
Gray ≈ RAL 7042		87.8	6TH24074NA3040S01




TOOL HOOK FX 59/19 - 24 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool hook, 360° turnable, for aluminum profiles To organize work stations
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request



Color	ESD	Weight [g]	Part #
Black		84.5	6TH240NA8020S01
	ESD electrostatical discharging	92.8	6TH240NA8020ESDS01
Gray ≈ RAL 7042		92.8	6TH24074NA8020S01




TOOL HOOK FX 17/57 - 24 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool hook, 360° turnable, for aluminum profiles To organize work stations
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request




Color	ESD	Weight [g]	Part #
Black		92.3	6TH240NA4060S01
	ESD electrostatical discharging	93.8	6TH240NA4060ESDS01
Gray ≈ RAL 7042		93.8	6TH24074NA4060S01









TOOL HOLDER FX D80 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool holder ring with 80 mm diameter, 360° turnable, for aluminum profiles; To organize workstations
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request



Color	ESD	Weight [g]	Part #
Black		99.3	6TH240ND80S01
	ESD electrostatical discharging	100.8	6TH240ND80ESDS01
Gray ≈ RAL 7042		100.8	6TH24074ND80S01



TOOL DOUBLE HOOK FX R35 - 67, RUBBERIZED FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL pre-assembled, profile 40 and up

DESCRIPTION Ready to use double tool hook, 360° turnable, for aluminum profiles;
Rubber coated wire to prevent tools from slipping;
To organize workstations


MATERIAL Holder standard version: Plastic PA, glass ball reinforced
Wire: Stainless steel SS304
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced

SURFACE Wire: PVC coated
Screw: Zinc plated
Nut: Zinc plated

COLOR Wire: Black coated
Holder: See table
Centering piece: Black

PACK QUANTITY 1 piece








SPECIALS Other colors on request




Color	Weight [g]	Part #
-------	------------	--------

Black	127.5	6TH240NR3091S01
-------	-------	-----------------


Gray ≈ RAL 7042	128.8	6TH24074NR3091S01
-----------------	-------	-------------------



TOOL HOOK FX R35 - 27, RUBBERIZED FOR PROFILES 40 / 45, SLOT 8 / 10


MODEL pre-assembled, profile 40 and up**DESCRIPTION** Ready to use tool hook, 360° turnable, for aluminum profiles;
Rubber coated wire to prevent tools from slipping;
To organize workstations**MATERIAL** Holder standard version: Plastic PA, glass ball reinforced
Wire: Stainless steel SS304
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Wire: PVC coated
Screw: Zinc plated
Nut: Zinc plated**COLOR** Wire: Black coated
Holder: See table
Centering piece: Black**PACK QUANTITY** 1 piece**SPECIALS** Other colors on request

Color	Weight [g]	Part #
Black	132.5	6TH240NR4091S01
Gray ≈ RAL 7042	134.8	6TH24074NR4091S01








CLOTH CLIP FX FOR PROFILES 40 / 45, SLOT 8 / 10


MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use cloth clip, 360° turnable, for aluminum profiles; To organize workstatio
MATERIAL	Holder standard version: Plastic PA, glass ball reinforced Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Wire: Stainless steel SS304 Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request









Color	ESD	Weight [g]	Part #
Black		93.5	6TH240NG5050S01
	ESD electrostatical discharging	94.8	6TH240NG5050ESDS01
Gray ≈ RAL 7042		94.8	6TH24074NG5050S01



BOTTLE HOLDER FX FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL Pre-assembled**DESCRIPTION** Ready to use bottle holder, 360° turnable, for aluminum profiles; To organize workstations**MATERIAL** Holder standard version: Plastic PA, glass ball reinforced
Wire: Stainless steel SS304
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Screw: Zinc plated
Nut: Zinc plated**COLOR** Wire: Black coated
Holder: See table
Centering piece: Black**PACK QUANTITY** 1 piece**SPECIALS** Other colors on request

	Color	Weight [g]	Part #
	Black	186.2	6TM840ND100S01
	Gray ≈ RAL 7042	186.2	6TM84074ND100S01



TOOL TRAY PARABOL FX FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL pre-assembled, profile 40 and up

DESCRIPTION Ready to use tool tray, 360° turnable, tilt-adjustable in 5 ways, for aluminum profiles; Suitable for heavy tools; tool friendly surface; To organize workstations


MATERIAL Tool tray standard version: Plastic PA, glass ball reinforced
Tool tray ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon
Tray inserts standard version: Plastic TPE, \approx 70 Shore A
Tray inlay ESD electrostatical discharging version: Plastic TPE, \approx 80 Shore A, with carbon
Spring: Spring steel SS313
Washer: Steel
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced

SURFACE Screw: Zinc plated
Nut: Zinc plated


COLOR Holder: See table
Centering piece: Black

PACK QUANTITY 2 pieces


SPECIALS Other colors on request



Color	ESD	Weight [g]	Part #
Black		226.0	6TM840NV12591S01
	ESD electrostatical discharging	218.0	6TM840NV12591ESDS01




DRILL / DRIVER HOLDER FX D50 FOR PROFILE 40 / 45, SLOT 8 / 10

NEU
NEW**MODEL** pre-assembled, profile 40 and up**DESCRIPTION** Ready to use tool Drill / Driver Holder FX for a wide range of standard cordless screwdrivers, 360° turnable, for aluminum profiles; To organize workstations**MATERIAL** Holder: Plastic PA, glass ball reinforced
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Screw: Zinc plated
Nut: Zinc plated**COLOR** Holder: See table
Centering piece: Black**PACK QUANTITY** 1 piece**SPECIALS** Other colors on request



Color	Weight [g]	Part #
-------	------------	--------

Black	174.4	6TM840NL12591S01
-------	-------	------------------


Gray ≈ RAL 7042	174.4	6TM840NL12574S01
-----------------	-------	------------------




HOLDER FOR PACKING TAPE HAND DISPENSER FOR PROFILES 40 / 45, SLOT

NEU
NEW**MODEL** pre-assembled, profile 40 and up**DESCRIPTION** Ready to use, 360° turnable, for aluminum profiles;
To organize workstations**MATERIAL** Tool tray standard version: Plastic PA, glass ball reinforced
Spring: Spring steel SS313
Washer: Steel
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Screw: Zinc plated
Nut: Zinc plated**COLOR** Holder: See table
Centering piece: Black**PACK QUANTITY** 1 pieces**SPECIALS** Other colors on request







Color	ESD	Weight [g]	Part #
Black		183.1	6TM840NPT91
Gray7042		183.1	6TM840NPT74



BROOM HOLDER FLEX FX 20 - 30 FOR PROFILES 40 / 45, SLOT 8 / 10

NEU
NEW**MODEL** pre-assembled, profile 40 and up**DESCRIPTION** Ready to use broom holder to hang up tools with Ø 20 up to 30 mm diameter, 360° turnable, for aluminum profiles; To organize workstations**MATERIAL** Broom holder: Plastic PA, glass ball reinforced
Retaining strap FLEX: Plastic TPE
Bushings: Steel
Screws for retaining strap: Steel
Spring: Spring steel SS313
Screw: Steel
Nut: Steel
Centering piece: Plastic PA, glass fibre reinforced**SURFACE** Screw: Zinc plated
Nut: Zinc plated**COLOR** Holder: See table
Retaining strap: Black
Centering piece: Black**PACK QUANTITY** 1 piece**SPECIALS** Other colors on request

Color	Weight [g]	Part #
Black	113.0	6TM840NX2030S01




TOOL QUIVER FX D50 FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use tool quiver, outer diameter Ø 50 mm, 360° turnable, for aluminum profiles; To organize workstations
MATERIAL	Holder ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Quiver ESD electrostatical discharging version: Plastic PA, carbon fibre reinforced Spring: Spring steel SS313 Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Screw: Zinc plated Nut: Zinc plated
COLOR	Holder: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request



Color	ESD	Weight [g]	Part #
Black	ESD electrostatical discharging	144.0	6T40Q5040ESDS01




BAG CUTTER FX FOR PROFILES 40 / 45, SLOT 8 / 10

MODEL	pre-assembled, profile 40 and up
DESCRIPTION	Ready to use bag cutter, changeable blade, 360° turnable, for aluminum profiles To organize work stations
MATERIAL	Bag cutter standard version: Plastic PA, glass ball reinforced Bag cutter ESD electrostatical discharging version: Plastic PA, glass ball reinforced with carbon Trapezoidal blade: Carbon steel Spring: Spring steel SS313 Countersunk screw: Brass Sleeve nut: Brass Screw: Steel Nut: Steel Centering piece: Plastic PA, glass fibre reinforced
SURFACE	Counter sunk screw: Nickel plated Sleeve nut: Nickel plated Screw: Zinc plated Nut: Zinc plated
COLOR	Base unit: See table Centering piece: Black
PACK QUANTITY	1 piece
SPECIALS	Other colors on request
TIP	Compatible Trapezoidal Blade for Bag Cutter FX see 061TF91S01




Color	ESD	Weight [g]	Part #
Black		98.2	6TM840NF91S01
	ESD electrostatical discharging	103.6	6TM840NF91ESDS01
Gray ~ RAL 7042		103.6	6TM840NF74S01



TRAPEZOIDAL BLADE FOR BAG CUTTER FX

MODEL Carbon steel**DESCRIPTION** To replace the blade on the bag cutter**MATERIAL** Carbon steel**PACK QUANTITY** 10 pieces

TIP Compatible Bag Cutter FX for Profiles 40 / 45, Slot 8 / 10 see 6TM840NF91S01
 Compatible Bag Cutter FX for Tubes D28 / D30 see 6TM8D283F91ESDS01
 Compatible Bag Cutter FX for Square Holes 9 x 9 [8.7 x 8.7] see 6TP38F91ESDS01



Weight [g]	Part #
45.7	061TF91S01

